

XEROX® VERSALINK® COLOR MULTIFUNCTION PRINTER

Powerful performance. Personalized productivity.

C605



ConnectKey®
Technology

xerox 

Xerox® VersaLink® C605 Color Multifunction Printer

The VersaLink® C605 Color Multifunction Printer represents the new definition of exceptional performance and unbeatable reliability. Cloud-connected, mobile-ready, app-enabled, and easy to customize, the C605 is your modern workplace assistant — transforming the way you work today, while ensuring you'll stay one step ahead tomorrow.

RELIABLE PRODUCTIVITY AND PEACE OF MIND.

Right out of the box, you'll count on your VersaLink® C605 to consistently and flawlessly perform the tasks that make your business work more efficiently. From IT-free installation wizards, to step-by-step configuration options, you're ready to go — hassle free.

Completely re-engineered for superior reliability, the VersaLink® C605 features a new hardware design with fewer moving parts, and a more advanced Hi-Q LED print head.

VersaLink® devices are loaded with features and time-saving Xerox® technologies designed to speed up information sharing and reduce inefficient workflows. Ensure information accuracy with Scan and Fax Preview, and do more with scanned documents with built-in optical character recognition (OCR).

When it comes to safeguarding critical information, VersaLink® devices deliver a spectrum of stringent security features, including Secure Print and card authentication to control access.

Count on superior print quality to make your work look its best. A print resolution of up to 1200 x 2400 dpi delivers sharp text and fine line detail, plus exceptional color vibrancy.

EASY, EFFICIENT AND ENTIRELY NEW.

With the customizable, capacitive 7-inch color touchscreen, you can tap, swipe and pinch your way through tasks and functions with mobile-like ease.

Get more done in less time by creating customized 1-Touch Apps to automate multi-step workflows for individuals or groups. Simply tap your new app to quickly perform the job you configured. And with Simple ID, individual users and groups enter a user ID and password once, and then enjoy fast, secure access to task-specific presets, individualized favorite contacts and commonly used apps on a personalized home screen.

MOBILE FREEDOM AND APP-BASED FLEXIBILITY.

The VersaLink® C605 Color Multifunction Printer gives you the freedom to work where and how you want — with out-of-the-box connectivity to Google Drive™, Microsoft® OneDrive® and DropBox™, and access to additional options through the Xerox App Gallery.

The ability to connect and print from multiple devices is key for today's worker, and VersaLink® devices meet the challenge with Apple® AirPrint®, Google Cloud Print™, Xerox® Print Service Plug-in for Android™, Near Field Communication (NFC) Tap-to-Pair and Mopria®, plus optional Wi-Fi and Wi-Fi Direct.

Learn more about why Xerox is the only choice for today's mobile professionals by visiting www.xerox.com/Mobile.

To learn more about VersaLink® device features, go to www.xerox.com/VersaLinkEG.

XEROX® CONNECTKEY® TECHNOLOGY — THE NEXUS OF YOUR COMPLETE PRODUCTIVITY ECOSYSTEM

From Xerox — the company that created the modern workplace — we present the next revolution in workplace productivity. With a consistent user experience across a wide range of devices, mobile and cloud connectivity and a growing library of apps to expand functionality, you'll work faster, better and smarter.

Intuitive User Experience

An entirely new — and yet entirely familiar way to interact that includes a tablet-like experience with gesture-based touchscreen controls and easy customization.

Mobile and Cloud Ready

Instant connectivity to cloud and mobile devices right from the user interface, with access to pre-loaded, cloud-hosted services that let you work where, when and how you want.

Benchmark Security

Full multi-level protection for both documents and data, ready to guard against and eliminate emerging threats and meet or exceed regulatory compliance.

Enables Next Generation Services

Work more efficiently and manage resources more effectively. Easy integration of Xerox® Managed Print Services enables remote monitoring of service delivery and consumables.

Gateway to New Possibilities

Instantly extend your capabilities with access to the Xerox App Gallery, featuring real-world apps designed to optimize digital workflows. Commission our network of partners to design innovative, business-specific solutions.

Find out more about how you'll work smarter at www.ConnectKey.com.



Xerox® VersaLink® C605 Color Multifunction Printer

Print. Copy. Scan. Fax. Email. Mobile connectivity.

1 400-sheet output tray with tray-full sensor.

2 Card Reader Bay for Internal Card Reader/RFID Kit.

3 The standard 320 GB Hard Drive increases the capabilities of numerous app-based functions.

4 A front-side USB port¹ allows users to quickly print from or scan to³ any standard USB memory device.

5 The 150-sheet Bypass Tray handles media sizes from 3 x 5 in. to 8.5 x 14 in./76.2 x 127 mm to 216 x 356 mm.

6 Tray 1 handles up to 550 sheets with custom sizes of 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm.

7 A 100-sheet Single-Pass Duplex Automatic Document Feeder (DADF) scans two-sided originals for copy, scan and fax jobs.

8 The optional Cabinet (includes Caster Base) provides storage for toner cartridges and other supplies.

9 The optional High Capacity Feeder (includes Caster Base) adds up to 2,000 sheets with standard sizes of 8.5 x 11 in. to 8.27 x 11.69 in./216 x 356 mm to 210 x 297 mm.

10 Add up to 4 optional 550-sheet paper trays that handle sizes from 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm (maximum of 2 additional trays with optional cabinet, maximum of 1 additional tray with High Capacity Feeder).

11 The optional Finisher collates and staples sets of up to 50 sheets and includes a 500-sheet output tray.

12 The optional Mailbox includes 4 bins and each tray can handle up to 100 sheets.

¹ USB ports can be disabled.

INTRODUCING TOUCHSCREEN SUPERIORITY.

Meet the industry's most advanced, 7-inch color touchscreen interface. It's a user experience that sets a higher standard for customization, personalization and versatility.

By presenting a familiar "mobile" experience — with support for gestural input and task-focused apps that share a common look and feel — fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center. Don't like where a function or app is located? Customize the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with the VersaLink® C605 Color Multifunction Printer get more work done, faster.



Xerox® VersaLink® C605

ConnectKey®

Technology

The VersaLink® C605 Color Multifunction Printer are built on Xerox® ConnectKey® Technology.

For more information, visit www.ConnectKey.com.

DEVICE SPECIFICATIONS		VersaLink® C605 Color Multifunction Printer
Speed		Up to 55 ppm letter/Up to 53 ppm A4
Duty Cycle ¹		Up to 120,000 pages/month ¹
Processor / Memory / Hard Drive		1.05 GHz/4 GB/standard 320 GB HDD
Connectivity		Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair
Controller Features		Unified Address Book, Configuration Cloning, Scan Preview, Xerox Extensible Interface Platform®, Xerox App Gallery, Xerox® Standard Accounting, Online Support
Paper Handling		
Paper Input	Standard	Single-Pass Duplex Automatic Document Feeder (DADF): 100 sheets; Custom sizes: 5.5 x 5.5 in. to 8.5 x 14 in./140 x 140 mm to 216 x 356 mm Bypass Tray: Up to 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm Tray 1: Up to 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm
	Optional	Up to 4 Additional Trays: Up to 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm High Capacity Feeder: Up to 2,000 sheets; 8.5 x 11 in. to 8.27 x 11.69 in./216 x 356 mm to 210 x 297 mm
Paper Output	Standard	400 sheets
	Optional (Choose One)	Finisher (Requires C605/XL): 500-sheet tray, 50-sheet stapling Mailbox (Requires C605/XL): Four 100-sheet bins
Automatic Two-sided Output		Standard
Copy and Print	Resolution	Print: Up to 1200 x 2400 dpi; Copy: Up to 600 x 600 dpi
First-Page-Out Time (as fast as)		Print: As fast as 10 seconds color and black-and-white Copy: As fast as 7 seconds color/5 seconds black-and-white
Page Description Languages		PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe® PostScript® 3™
INTUITIVE USER EXPERIENCE		
Customize and Personalize		Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site and Function or Workflow with Xerox App Gallery
Print Drivers		Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print Driver® and Mobile Express Driver®
Xerox® Embedded Web Server		PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning
Preview		Preview of Scan/Fax with Zoom, Rotate, Add Page
Print Features		Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode
Scan		Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/SMB), File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF
Fax ²		Walk-up Fax (includes LAN Fax, Direct Fax, Fax Forward to Email)
MOBILE AND CLOUD READY		
Mobile Printing		Apple® AirPrint® ⁵ , Google Cloud Print™ Ready, Mopria® Certified, Mopria® Print Service Plug-in for Android™, @PrintByXerox, Xerox® Print Service Plug-in for Android™
Mobility Options		Xerox® Mobile Print and Mobile Print Cloud ⁴ , Connect via NFC/Wi-Fi Direct Printing ⁴ , Xerox® Mobile Link App ³ . Visit www.xerox.com/OfficeMobileApps for available apps.
Cloud Connectors ³		Print from/Scan to Google Drive™, Microsoft® OneDrive®, Dropbox™, Microsoft Office 365®, Box®, Xerox® DocuShare® Platform ⁴ and more
BENCHMARK SECURITY		
Network Security		IPsec, HTTPS, encrypted email, Network Authentication, SNMPv3, SSL/TLS, Security Certificates, Pre-installed Self-Signed Certificates, Cisco® Identity Services Engine (ISE) integration
Device Access		Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled (CAC/PIV.NET), Integrated Card Reader Bay
Data Protection		Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common Criteria Certification (ISO 15408), Encrypted Apps with Embedded Certificate Support
Document Security		Secure Print, Secure Fax, Secure Email, Password Protected PDF
ENABLES NEXT GENERATION SERVICES		
Print Management		Xerox® Standard Accounting, Optional: Xerox® Workplace Cloud/Suite, Nuance Equitrac, Ysoft SafeQ, PaperCut and more at www.xerox.com/PrintManagement
Fleet / Device Management		Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, Managed Print Services tools, Configuration Cloning
Sustainability		Cisco EnergyWise®, Earth Smart Printing, Print User ID on margins
GALLERY TO NEW POSSIBILITIES		
Cloud Services		Xerox® Easy Translator ⁴ , Xerox® Healthcare MFP (U.S. only) ⁴ , CapturePoint™ ⁴ , many additional services available
Xerox App Gallery		Many apps and cloud services available. Visit www.xerox.com/AppGallery for a growing selection of Xerox® apps available for adding functions

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² Requires analog phone line; ³ Optional download from Xerox App Gallery to the Printer — www.xerox.com/XeroxAppGallery; ⁴ Purchased option; ⁵ Visit www.apple.com for AirPrint Certification list.

Certifications

To view the latest list of certifications, go to www.xerox.com/OfficeCertifications.

Supplies and Options

Standard Capacity Toner Cartridges:

Black: 6,000 pages ⁶	106R03899
Cyan: 6,000 pages ⁶	106R03896
Magenta: 6,000 pages ⁶	106R03897
Yellow: 6,000 pages ⁶	106R03898

High Capacity Toner Cartridges:

Black: 12,200 pages ⁶	106R03903
Cyan: 10,100 pages ⁶	106R03900
Magenta: 10,100 pages ⁶	106R03901
Yellow: 10,100 pages ⁶	106R03902

Extra High Capacity Toner Cartridges:

Black: 16,900 pages ⁶	106R03931
Cyan: 16,800 pages ⁶	106R03928
Magenta: 16,800 pages ⁶	106R03929
Yellow: 16,800 pages ⁶	106R03930
Cyan Drum Cartridge: 40,000 pages ⁷	108R01485
Magenta Drum Cartridge: 40,000 pages ⁷	108R01486
Yellow Drum Cartridge: 40,000 pages ⁷	108R01487
Black Drum Cartridge: 40,000 pages ⁷	108R01488
Waste Cartridge: 30,000 pages ⁷	108R01416

550-sheet Feeder	097S04949
2,000-sheet High Capacity Feeder (includes Caster Base)	097S04948
Cabinet (includes Caster Base)	097S04955
Caster Base	097S04954
Productivity Kit with 320 GB HDD	497K18360
Wireless Network Adapter (Wi-Fi Kit)	497K16750
Internal Card Reader / RFID Kit	497K18120

⁶ Average standard pages. Declared Yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage and print mode.

⁷ Approximate pages. Declared yield will vary depending on job run length, media size/orientation and machine speed. For more information, visit <https://www.office.xerox.com/Latest/SUPGL-01.PDF>.

Configurations vary by geography.

For more detailed specifications, go to www.xerox.com/VersaLinkC605Specs.

©2019 Xerox Corporation. All rights reserved. Xerox®, Xerox and Design®, CentreWare®, ConnectKey®, DocuShare®, Global Print Driver®, Mobile Express Driver®, VersaLink® and Xerox Extensible Interface Platform® are trademarks of Xerox Corporation in the United States and/or other countries. The information in this brochure is subject to change without notice. 1/19 PN03335_T61 BR21341 VC6BR-02UF

